

Pre Engineered
Railings



1

FLATRON

3-7



2

WINSOME

8-12



3

BRAWNY

13-17



4

ROYALE

18-22



5

TWIN RAIL

23-27



6

BRACKETS

28-40





Architectural Railing System


Our Flatron railing Design amplifie pre-engineered railing system with the best features of glass railing with with flat post & spider assembly. Featuring the strength and sleek, modern aesthetic look of premium stainless steel, this system offers a variety of post, top rail and handrail and mounting options to create even more distinct design possibilities.

TECHNICAL SPECIFICATIONS

Material	304 or 316 mild steel post - 304 or 316 stainless steel fittings
Height	965 mm Height (Custom heights available)
Standard spacing	4' On Center - Standard(Custom spacing available dependent upon engineering)
Post Mount Type	Top, Fascia, Core or Inclined Mount options available
Glass Attachment	Spider with flat post
Handrail	Round or Square U-Tube (Ø42.40 mm, Ø48.3 mm or 40x40 square) with 304 or 316 stainless steel with Satin or Mirror Finish
Post	304 or 316 stainless steel with Satin or Mirror Finish
Components	304 or 316 stainless steel with Satin or Mirror Finish
Infill Options	Glass: 10 to 12.76 mm laminated glass




STANDARD LINE DIAGRAM




Options are available

INFILLS



BASE ATTACHMENTS



TOP RAIL ATTACHMENTS

Round Tube







Square Tube



Round U Tube




Square U Tube









Architectural Railing System


Our Winsone railing design amplifies the best features of glass railing with spiders with square post assembly. Featuring the strength and sleek, modern aesthetic look of premium stainless steel, this system offers variety of post, top rail and handrail and mounting options to create even more distinct design possibilities.

TECHNICAL SPECIFICATIONS

Material	304 or 316 stainless steel post - 304 or 316 stainless steel fittings
Height	1100 mm Height (Custom heights available)
Standard spacing	4' On Center - Standard (Custom spacing available dependent upon engineering)
Post Mount Type	Top, Fascia, Core or Inclined Mount options available
Glass Attachment	Spider with round post
Handrail	Ø 48.3 mm 304 or 316 stainless steel with Satin or Mirror Finish
Post	304 or 316 stainless steel with Satin or Mirror Finish
Components	304 or 316 stainless steel with Satin or Mirror Finish
Infill Options	Glass: 10 to 12.76 mm laminated glass









STANDARD LINE DIAGRAM










Options are available

INFILLS



BASE ATTACHMENTS



TOP RAIL ATTACHMENTS

Round Tube







Square Tube



Round U Tube



Square U Tube









Architectural Railing System


Our Brawny railing design amplifies the best features of glass railing with spiders with square post assembly. Featuring the strength and sleek, modern aesthetic look of premium stainless steel, this system offers a variety of post, top rail and handrail and mounting options to create even more distinct design possibilities.

TECHNICAL SPECIFICATIONS

Material	304 or 316 stainless steel post - 304 or 316 stainless steel fittings
Height	1000 mm Height (Custom heights available)
Standard spacing	1000 mm - Standard (Custom spacing available dependent upon engineering)
Post Mount Type	Top, Fascia, Core or Inclined Mount options available
Glass Attachment	Spider with square post
Handrail	40x40 mm square, 304 or 316 stainless steel with Satin or Mirror Finish
Post	304 or 316 stainless steel with Satin or Mirror Finish
Components	304 or 316 stainless steel with Satin or Mirror Finish
Infill Options	Glass: 10 to 12.76 mm laminated glass




STANDARD LINE DIAGRAM




Options are available

INFILLS



BASE ATTACHMENTS



TOP RAIL ATTACHMENTS

Round Tube







Square Tube




Round U Tube



Square U Tube










Architectural Railing System

Our Royale railing design is designed with an aluminum base / side profile without use of vertical balusters or posts between glass infill options. Featuring the strength and sleek, modern aesthetic look of premium stainless steel, this system offers a variety of top rail and handrail with only glass infill option to make a perfect choice where safety is must.

Top Mount Aluminum Channel




Fascia Mount Aluminum Channel



TECHNICAL SPECIFICATIONS


Material	6063- T6 Aluminium
Height	135 mm Height- Standard
Standard spacing	Continuously Lengthh
Post Mount Type	Top Mount or Fascia Mount options available
Glass Attachment	It can be with Shims/Wedges, Material (ABS)
Handrail	Ø42.40, Ø48.3 mm, 40x40 square U tube stainless steel
Infill Options	Glass: 17.52 to 27 mm laminated glass

STANDARD LINE DIAGRAM





INFILLS

Glass




BASE ATTACHMENTS

Top Mount




Fascia Mount




TOP RAIL ATTACHMENTS


Round Tube




U Cap



Round U Tube




Square U Tube









Architectural Railing System

Our Twin Rail railing design amplifies the best features of glass railing with spiders with Double Flat Bar post assembly. Featuring the strength and sleek, modern aesthetic look of premium stainless steel, this system offers variety of post, top rail and handrail and mounting options to create even more distinct design

TECHNICAL SPECIFICATIONS

Material	304 or 316 mild steel post - 304 or 316 stainless steel fittings
Height	1015 mm Height (Custom heights available)
Standard spacing	4' On Center - Standard (Custom spacing available dependent upon engineering)
Post Mount Type	Top Mount or Fascia Mount options available
Glass Attachment	Spider with flat post
Handrail	Ø 50.8 mm 304 or 316 stainless steel with Satin or Mirror Finish
Post	Mild steel with texture powder coating
Components	304 or 316 stainless steel with Satin or Mirror Finish
Infill Options	Glass: 10 to 12.0 mm laminated glass



STANDARD LINE DIAGRAM

Stainless Steel Glass Spider Fittings


Stainless Steel Adjustable Handrail Bracket

Ø 38.1 mm Stainless Steel Assist Rail Bracket

Ø 38.1 mm Stainless Steel Top Rail Bracket

12.7 mm Laminated Glass- Standard

50.8 mm x 6.3 mm Double Flat Bar




Top Mount Post Attached on Landing


Side Mount Post Attached to Stair Stringer

Options are available

INFILLS



BASE ATTACHMENTS



TOP RAIL ATTACHMENTS

Round Tube







Square Tube



Round U Tube



Square U Tube







GLASS BRACKETS



Handrail Bracket for Glass



Swivel Handrail Bracket for Glass




Handrail Bracket for Glass Mounting in Casting

GLASS BRACKETS



Handrail Bracket for Glass Mounting



Handrail Bracket for Glass(Cavo)

WALL BRACKETS



Wall Bracket with Short Tube Saddle



Wall Bracket with Long Tube Saddle



Wall Bracket with Swivel Saddle

WALL BRACKETS



Wall Bracket without Saddle



Fixed Wall Bracket with Plate without Hole



Flexible Wall Bracket with Plate without Hole



WALL BRACKETS



Wall Bracket w/o Hole



Wall Bracket w/o Hole Saddle



Wall Bracket with Cover and Lock Plate



WALL BRACKETS



**Wall Bracket with Cover and
Lock Plate without Saddle**



**Aluminium Alloy Wall
Bracket with Hole**



**Aluminium Alloy Wall
Bracket without Hole**



WALL BRACKETS



Aluminium Wall Bracket



Stainless Steel Wall Bracket

HANDRAIL BRACKETS



Handrail Bracket for Round Post & Flat Saddle



Handrail Bracket for Flat Post & Flat Saddle



Handrail Bracket for Round Post & Round Saddle


HANDRAIL BRACKETS



Swivel Handrail Bracket for Round Post



Swivel Handrail Bracket for Flat Post



Swivel Handrail Bracket for Round Post

HANDRAIL BRACKETS



Handrail Bracket for Wall Mounting



Swivel Handrail Bracket for Wall Mounting

LED RAILING BRACKETS



Tube Support



Wall Bracket



Wall Bracket

RINOX ENGINEERING

2, Giaspura Road, Dhandari Kalan, Ludhiana, Punjab India - 141010

+91-161-251 0525 / 26 sales@rinox.in

+91-76008-20000

